

AMENDMENTS TO THE CLAIMS

1-18. (Canceled Previously)

Sub C1 > 19. (Currently Amended) A communication apparatus connected to a terminal apparatus via a network, the communication apparatus comprising:

an e-mail transmitter that performs an e-mail transmission to a destination;

a file generator that generates a communication result file that includes a ~~communication~~ result of the e-mail transmission communication performed by said e-mail transmitter;

PS1 a memory that stores the communication result file as a ~~structured document~~ HTML file; and

a ~~server~~ communicator that transmits the communication result file to the terminal apparatus when a request for the communication result file is received from the terminal apparatus, the communication result file being displayable at the terminal apparatus.

20. (Previously Added) The communication apparatus according to claim 19, wherein the communication result file comprises a plurality of communication results.

21. (Previously Added) The communication apparatus according to claim 19, wherein the communication result file comprises at least one of a communication date and a destination associated with a communication result.

22. (Currently Amended) The communication apparatus according to claim 19, said file generator generating a communication result as the ~~structured document~~ HTML file to

P17948.A14

update the communication result file in said memory when said e-mail transmitter performs an e-mail transmission.

23. (Currently Amended) The communication apparatus according to claim 19, wherein said memory stores a main file including a mark indicating a request for the communication result file, and said ~~server~~ communicator transmits the main file to the terminal apparatus in response to actuation of said mark.

24. (Previously Added) The communication apparatus according to claim 23, wherein the request for the communication result file is performed by clicking the mark on the main file at the terminal apparatus.

25. (Canceled)

26. (Canceled)

27. (Currently Amended) The communication apparatus according to claim ~~26~~ 37, wherein the communication result file comprises at least one of a communication date, a destination, a number of sheets, a communication duration time and a charge, associated with a communication result.

28. (Previously Added) A method for checking a communication result of a communication apparatus connected to a terminal apparatus via a network, the method comprising:

performing an e-mail transmission to a destination;

generating a communication result file including a ~~communication~~ result of the e-mail transmission communication performed;

P17948.A14

storing the communication result file as a ~~structured document~~ HTML file in a memory; and

transmitting the communication result file to the terminal apparatus when a request for the communication result file is received from the terminal apparatus, the communication result file being displayable at the terminal apparatus.

29. (Previously Added) The method according to claim 28, wherein the communication result file comprises a plurality of communication results.

30. (Previously Added) The method according to claim 28, wherein the communication result file comprises at least one of a communication date and a destination associated with a communication result.

31. (Currently Amended) The method according to claim 28, further comprising generating a communication result as the ~~structured document~~ HTML file to update the communication result file in the memory when the e-mail transmission is performed.

32. (Previously Added) The method according to claim 28, further comprising transmitting a main file, including a mark indicating a request for the communication result file, to the terminal apparatus before transmitting the communication result file.

33. (Previously Added) The method according to claim 32, wherein the request for the communication result file is performed by clicking the mark on the main file at the terminal apparatus.

34. (Canceled)

35. (Canceled)

36. (Canceled)

5.6 C.1 } 37. (New) A communication apparatus connected to a terminal apparatus via a network, the communication apparatus comprising:

an e-mail transmitter that performs an e-mail transmission to a destination;

a facsimile transmitter that performs a facsimile transmission to a destination via a telephone network;

a file generator that generates a communication result file that includes a result of the e-mail transmission communication performed by said e-mail transmitter;

a determiner that determines whether to perform an e-mail transmission to the destination by said e-mail transmitter or to perform a facsimile transmission to the destination by said facsimile transmitter;

21
CONFIDENTIAL a memory that stores the communication result file as a HTML file; and

a communicator that transmits the communication result file to the terminal apparatus when a request for the communication result file is received from the terminal apparatus, the communication result file being displayable at the terminal apparatus.

38. (New) A method for checking a communication result of a communication apparatus connected to a terminal apparatus via a network, the method comprising:

performing an e-mail transmission to a destination via the network;

performing a facsimile transmission to a destination via a telephone network;

determining whether to perform the e-mail transmission to the destination or to perform the facsimile transmission to the destination;

P17948.A14

generating a communication result file including a result of an e-mail transmission communication performed;

1-31
CONF
storing the communication result file as an HTML file; and

transmitting the communication result file to the terminal apparatus when a request for the communication result file is received from the terminal apparatus, the communication result file being displayable at the terminal apparatus.
